

TOPLINE


The **premium dishwasher** icon, reliable and robust, easy to use.
Made out of solid inox stainless steel 304.
Excellent washing results with classic and high level design.



 adler

main

- **LED digital buttons interface with multifunction display**
- **double skin insulated wall and door**
- **fully molded tank with inox surface filters**
- **soft door opening**
- **peristaltic rinse aid dispenser**
- **thermostop option available**
- **automatic water drain and cleaning cycle**
- **autodiagnostic with error codes**
- **dFilter system**



PM50E

undercounter dishwasher



500 x 500 mm



355 mm



120-180-240 sec



30 racks/h



1,7 L



230V/400V
15A/9,6A
3,4Kw/6,6Kw



tech

Tank capacity	24 L
Boiler capacity	7 L
Wash pump power	0.75 hp / 0,55 Kw
Tank element	2,8 Kw
Boiler element	2,8 - 6 kW 400V
Standard included	

Inlet water pressure	2 - 4 bar
Inlet water temperature	55 °C
Final rinse temperature	82 °C
Wash temperature	55 °C
Weight	65 Kg

2 racks 500x500 plates/univ.+insert cutlery

optional

detergent disp.



drain pump




inox arms



built-in
water softener



support
H403xW583xD590 mm



dim