



# TOPLINE

The **premium dishwasher** icon, reliable and robust, easy to use.  
Made out of solid inox stainless steel 304.  
Excellent washing results with classic and high level design.




## main

- ***LED digital buttons interface with multifunction display***
- ***double skin insulated wall and door***
- ***fully molded tank with inox surface filters***
- ***soft door opening***
- ***peristaltic rinse aid dispenser***
- ***thermostop option available***
- ***automatic water drain and cleaning cycle***
- ***autodiagnostic with error codes***
- ***dFilter system***



# AT60

undercounter tray - dishwasher



600 x 400 mm  
500 x 500 mm

400 mm

120-180-240 sec

30 racks/h

1,7 L

230V/400V  
15A/9,6A  
3,4Kw/6,6Kw

tech

Tank capacity	24 L
Boiler capacity	7 L
Wash pump power	0.75 hp / 0,55 Kw
Tank element	2,8 Kw
Boiler element	2,8 - 6 kW 400V
Standard included	

Inlet water pressure 2 - 4 bar

Inlet water temperature 55 °C

Final rinse temperature 82 °C

Wash temperature 55 °C

Weight 75 Kg

2 racks 600x400/500x500 univ.+insert cutlery

optional


detergent disp.



drain pump



dim



support  
H403xW583xD590 mm

