



## TWIN 220-F

Supermarket Freezer

### Product features:

- Freezing unit
- Occupies less floor space
- Increased reliability
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Bumper bars
- Static cooling
- Automatic defrost
- 2 cooling systems for redundancy
- Ticket strips as accessory



Island installation



Shelf as accessory

### Supermarket freezer in need of less floorspace

The TWIN range, with its double cooling system, features innovative design. It reduces the amount of floor space needed and running costs, whilst increasing reliability. Instead of putting two freezers back-to-back, the TWIN is built as a single unit with no partition.

The result is more space for content with a smaller footprint. The units are ideal for supermarkets or grocery stores with limited space, as they have the same volume in litres as two standard freezers of the same length, despite less depth. The space-saving can be used for more rows of freezer islands or to make more room for customers.

Automatic defrosting and LED lighting are of course standard. The range also features a flexible version, able to switch between cooling and freezing.

Design and Material		Measures and Content		Power and Consumption	
Lid No & Type	2 curved sliding temp. glass lids	Temperature Range °C	-24 to -18	Energy Class	A-G C
Basket No & Type		Climate Class	3	Energy Consumption kWh/24h	9,2
Dividers	Divider system	Gross / Net Weight kg	251 / 198	Annual Energy Consumption kWh/year	3358
Number of dividers	pcs 4	Gross / Net Volume l	1697 / 1255	EEl	26
Feet / Legs	4 adjustable legs	Total Display Area m²	2,	Input Power W	552
Exterior Finish	White	<b>Cooling and Functions</b>		Voltage / Frequency V/Hz	220-240/50
Interior Finish	Powder coated steel	Type of Controller	Electronic	Noise Level db(A)	48
Interior Light	LED	Type of Cooling	Static	Thermometer	Yes
		Type of Defrost	Automatic	<b>Dimensions</b>	
		Refrigerant	R290	Internal Dimension (WxDxH) m	2000 x 1175 x 700
		Refrigerant Charge g	2 x 85	External Dimension (WxDxH) m	2150 x 1465 x 930
		GWP	3	Packed Dimension (WxDxH) m	2240 x 1550 x 1030

